


MINI WIFI Camera Specifications	
Model	
Picture	
A、 Main Function	
Battery Power	800mAh lithium battery
Battery recharge	USB interface charging
Operating Voltage	DC3.7V
Standby	2.5 hours
Wake up	Camera could be wake up remotely, running APP and check Video timely.
Night Vision	Built-in infrared LED, see clearly in darkness.
Snapshot and Video	Support snapshot and record when trigger alarm.
TF Card	Insert TF card to support snapshot,video recording. Max 64GB.
Notification	Motion detection alarm.
WIFI	Built-in WIFI module,WIFI distance50M+.
Replay	User could check Snapshot,video and voice message to replay in APP.
Connection	AP and LAN search connection.
User	An APP could add more than one cameras, also support one camera monitoring by more users.
B、 Main Function	

OS	Linux	
Resolution	1080P	
Main Chipset	T22	
Video code	H.264; Dual video stream, Max 1080P、(ROI)、GOP, I/P/B Supported	
	CBR/VBR Supported	
	Default main stream 25 frames 1Mbps subcode stream 10 frames 512Kbps.	
Voice code	G726、G711、AAC、MP3, 8K sampling rate、Support echo offset function	
Video	Support OSD image addition	
peripheral interface	32.768K RTC,internal integration 10M/100M Ethernet PHY.	
Key	Internal Integration 128KB Efuse; DES/3DES/AES Supported; Custom Key boot supported.	
Lens	Lens Type	Glass Lens
	Lens	F2.2
	View Angle	105°
	Day/Night	Dual IR-Cut filter auto switch
	Night	8meters
Connection	Protocol	P2P, TCP/IP, HTTP, TCP, UDP, SMTP, FTP, DHCP, DNS, DDNS, NTP, UpnP
	LAN	No
	Wireless	2.4GHz IEEE 802.11b/g/n
	Speed	150Mbps(Max)
	Wireless connection	AP
	Sound wave	Yes
	P2P	Yes
	Onvif	No

Software Funtion	Compression way	H.264
	Resolution	1920*1080, 1280*720、 640*480、 320*240
	FPS	25fps, 15fps
	Multimedia	Yes
	PIR Detection	NO
	E-mail/FTP alarm notification	No
	SD card record	Yes
	SD card Vedio record	Yes
	Cloud storage	Yes
	UPnP	Yes
	DDNS	Yes
	PIR	No
Storage	TF card slot,Max 64GB	
System security	User Level	Admin
	ID Antitheft	Yes
Alarm	PIR Detection	Yes, Three sensitivity Level(High Medium Low
	Low power Detection	Yes
	Linkgae Alarm	No
	I/O Alarm	No
	433 Linkgae Alarm	No
Night-Visio n	PIR	6 PIR, Wave Length 850nm, Effective Range 10M
	IR-CUT	Dual IR-Cut filter auto switch
	Illuminance	3 Lux
Others	Product size (mm)	

	Box size (mm)	
	Product N.W. (g)	
	Box N.W. (g)	
	Humidity	20%~85%
	Temperature	-10°C~60°C
	Stock Humidity	0%-90%
	Color	White
Software	Smartphone, PC	iphone、Android、 Android2.3 and above; IOS7.0 and above;
	Download	mycam